



Umm Al-Qura University



6001333-3 Human Computer Interaction

Lecture 5 (Week 4)




- User Interface elements
 - Design principles
 - Prototyping

Email: arzahrani@uqu.edu.sa

User Interface elements

- Interface elements include but are not limited to:
 1. **Input Controls:** checkboxes, radio buttons, dropdown lists, list boxes, buttons, text fields, date field
 2. **Navigational Components:** slider, search field, pagination, tags.
 3. **Informational Components:** tooltips, progress bar, notifications, message boxes, modal windows
 4. **Containers:** accordion

Input Controls





| Element | Description | Examples |
|-----------------------|--|--|
| Checkboxes | Checkboxes allow the user to select one or more options from a set. It is usually best to present checkboxes in a vertical list. More than one column is acceptable as well if the list is long enough that it might require scrolling or if comparison of terms might be necessary. |  |
| Radio buttons | Radio buttons are used to allow users to select one item at a time. |  |
| Dropdown lists | Dropdown lists allow users to select one item at a time, similarly to radio buttons, but are more compact allowing you to save space. Consider adding text to the field, such as 'Select one' to help the user recognize the necessary action. |  |

Human Computer Interaction 6001333-3
 These slides quoted from Dr Obead
 Alhadreti materials, thank to him

CS - 383 Summer Term

2

Input Controls



| | | |
|------------------------|---|--|
| List boxes | List boxes, like checkboxes, allow users to select a multiple items at a time, but are more compact and can support a longer list of options if needed. |  |
| Buttons | A button indicates an action upon touch and is typically labeled using text, an icon, or both. |  |
| Dropdown Button | The dropdown button consists of a button that when clicked displays a drop-down list of mutually exclusive items. |  |
| Toggles | A toggle button allows the user to change a setting between two states. They are most effective when the on/off states are visually distinct. |  |

Human Computer Interaction 6001333-3
 These slides quoted from Dr Obead
 Alhadreti materials, thank to him

CS - 383 Summer Term

3

Input Controls



| | | |
|------------------------------|--|--|
| Text fields | Text fields allow users to enter text. It can allow either a single line or multiple lines of text. |  |
| Date and time pickers | A date picker allows users to select a date and/or time. By using the picker, the information is consistently formatted and input into the system. |  |

Human Computer Interaction 6001333-3
These slides quoted from Dr Obead Alhadreti materials, thank to him

CS - 383 Summer Term

4

Navigational Components



| Element | Description | Examples |
|---------------------|---|--|
| Search Field | A search box allows users to enter a keyword or phrase (query) and submit it to search the index with the intention of getting back the most relevant results. Typically search fields are single-line text boxes and are often accompanied by a search button. |  |
| Breadcrumb | Breadcrumbs allow users to identify their current location within the system by providing a clickable trail of preceding pages to navigate by. |  |

Human Computer Interaction 6001333-3
These slides quoted from Dr Obead Alhadreti materials, thank to him

CS - 383 Summer Term

5

Navigational Components

| | | |
|-------------------|---|--|
| Pagination | Pagination divides content up between pages, and allows users to skip between pages or go in order through the content. |  |
| Tags | Tags allow users to find content in the same category. Some tagging systems also allow users to apply their own tags to content by entering them into the system. |  |

Human Computer Interaction 6001333-3




These slides quoted from Dr Obead

Alhadreti materials, thank to him

CS - 383 Summer Term

6

Information Components

| Element | Description | Examples |
|----------------------|--|--|
| Notifications | A notification is an update message that announces something new for the user to see. Notifications are typically used to indicate items such as, the successful completion of a task, or an error or warning message. |  |
| Progress Bars | A progress bar indicates where a user is as they advance through a series of steps in a process. Typically, progress bars are not clickable. |  |
| Tool Tips | A tooltip allows a user to see hints when they hover over an item indicating the name or purpose of the item. |  |

Human Computer Interaction 6001333-3


These slides quoted from Dr Obead

Alhadreti materials, thank to him

CS - 383 Summer Term

7

Containers

| Element | Description | Examples |
|-----------|--|--|
| Accordion | <p>An accordion is a vertically stacked list of items that utilizes show/ hide functionality. When a label is clicked, it expands the section showing the content within.</p> <p>There can have one or more items showing at a time and may have default states that reveal one or more sections without the user clicking</p> |  |

Human Computer Interaction 6001333-3

These slides quoted from Dr Obead

Alhadreti materials, thank to him

CS - 383 Summer Term

8

Design Principles



Human Computer Interaction 6001333-3


These slides quoted from Dr Obead

Alhadreti materials, thank to him

CS - 383 Summer Term

9

Spiral model



Human Computer Interaction 6001333-3
 These slides quoted from Dr Obead
 Alhadreti materials, thank to him

CS - 383 Summer Term

10

Donald Norman's principles

- **Visibility**
 - can I see it?
- **Feedback**
 - what is it doing now?
- **Affordance**
 - how do I use it?
- **Mapping**
 - where am I and where can I go?
- **Constraints**
 - why can't I do that?
- **Consistency**
 - I think I've seen this before

Human Computer Interaction 6001333-3
 These slides quoted from Dr Obead
 Alhadreti materials, thank to him

CS - 383 Summer Term

11

Donald Norman's principles

- **Visibility**

- Making it obvious which actions are available
- Sometimes things are designed so we can't see how to make them work !

How do we turn it on?



Human Computer Interaction 6001333-3
These slides quoted from Dr Obead
Alhadreti materials, thank to him

CS - 383 Summer Term

12

Visibility

- The principle of **visibility** suggests that the ease of use of a system is improved when the user can easily see what commands and options are available.
- Controls should be made clearly visible, rather than hidden, and should be placed where users would expect them to be.
- For any complex application, there would be so many buttons that the screen would become crowded and cluttered, and it would be difficult to find the right button. Pull-down menus are an example of a compromise.


Human Computer Interaction 6001333-3
These slides quoted from Dr Obead
Alhadreti materials, thank to him

CS - 383 Summer Term

13

Visibility

Hide functions that are not immediately needed
– e.g. Advanced search



Human Computer Interaction 6001333-3

These slides quoted from Dr Obead

Alhadreti materials, thank to him

CS - 383 Summer Term

14

Feedback

- The system should send information about what is happening back to the user. For example, the system gives users confirmation that an action has been performed successfully (or unsuccessfully).

Types of feedbacks:

- Visual is evidence that the control was activated successfully: a button was pressed, a menu option was selected, or a slider was moved to a new position.

Human Computer Interaction 6001333-3

These slides quoted from Dr Obead

Alhadreti materials, thank to him

CS - 383 Summer Term

15

Feedback

- Auditory
 - shutter click in a digital camera
- Tactile
 - movement in keyboard

Human Computer Interaction 6001333-3
These slides quoted from Dr. Obead
Alhadreti materials, thank to him

CS - 383 Summer Term

16

Feedback



Human Computer Interaction 6001333-3
These slides quoted from Dr. Obead
Alhadreti materials, thank to him

CS - 383 Summer Term

17

Affordance

- **Affordance** is a visual attribute of an object or a control that gives the user clues as to how the object or control can be used or operated.




Human Computer Interaction 6001333-3
These slides quoted from Dr. Obead
Alhadreti materials, thank to him

CS - 383 Summer Term

18

Affordance




Human Computer Interaction 6001333-3
These slides quoted from Dr. Obead
Alhadreti materials, thank to him

CS - 383 Summer Term

19

Affordance



Human Computer Interaction 6001333-3
These slides quoted from Dr Obead
Alhadreti materials, thank to him

CS - 383 Summer Term

20

Affordance

- Some affordances are obvious, some learned

- Can be dependent on the

- Experience
- Knowledge
- Culture

Switches (US down=off, UK down=on)

red = danger, green = go

- Can make an action easy or difficult

Human Computer Interaction 6001333-3
These slides quoted from Dr Obead
Alhadreti materials, thank to him

CS - 383 Summer Term

21

Affordance

- In **user interface design**, designers can use different techniques of providing affordance cues:
 - **Pointing**: change the shape of the mouse pointer when the mouse pointer is moved over a control
 - **Tooltips**, or small pop-up messages that appear when the mouse pointer hovers over a control, can provide some additional assistance.
 - **Design conventions** such as hyperlinks

Human Computer Interaction 6001333-3
These slides quoted from Dr. Obead
Alhadreti materials, thank to him

CS - 383 Summer Term

22

Mapping

- Pressing a button or activating a control generally triggers the system to perform some function.
- Mapping refers to the relationship between controls and their effect on the computer
- You should always aim to make these mappings as clear and explicit as possible.

Human Computer Interaction 6001333-3
These slides quoted from Dr. Obead
Alhadreti materials, thank to him

CS - 383 Summer Term

23

Mapping

- You can do this by using descriptive labels or icons on buttons and menu items, and by using controls consistently (again, similar controls should have similar behavior and effects).
- Controls should also be positioned in logical ways that match real-world objects or general conventions.



Human Computer Interaction 6001333-3
These slides quoted from Dr Obead
Alhadreti materials, thank to him

CS - 383 Summer Term

24

Constraints

- Restricting interaction to reduce errors
- **Constraints**, or restrictions, prevent invalid data from being entered and prevent invalid actions from being performed.

For example, word processors disable the “Copy” and “Cut”


commands when no text is currently selected.

Human Computer Interaction 6001333-3
These slides quoted from Dr Obead
Alhadreti materials, thank to him

CS - 383 Summer Term

25

Constraints



Human Computer Interaction 6001333-3
These slides quoted from Dr. Obead
Alhadreti materials, thank to him

CS - 383 Summer Term

26

Consistency

- Similar concepts expressed in similar ways
 - knowledge from previous experiences can be reused
- Similar functions are performed in the same way
- Identical terminology for identical operations
- Inconsistency causes confusion, because things don't work the way the user expects them to.


Human Computer Interaction 6001333-3
These slides quoted from Dr. Obead
Alhadreti materials, thank to him

CS - 383 Summer Term

27

Consistency

- Uniformity in appearance, placement, and behaviour



Human Computer Interaction 6001333-3
These slides quoted from Dr Obead
Alhadreti materials, thank to him

CS - 383 Summer Term

28

Exercise !

- This is an exercise in identifying ease of use issues, using an interface with which you are familiar.
- Choose an interactive interface with which you have experienced some kind of ease of use breakdown due to design that does not make good use of the principles discussed in the lecture:

- | | | |
|---------------|----------------|----------------|
| 1. Visibility | 2. Feedback | 3. Affordance |
| 4. Mapping | 5. Constraints | 6. Consistency |

Human Computer Interaction 6001333-3
These slides quoted from Dr Obead
Alhadreti materials, thank to him

CS - 383 Summer Term

29

Other Design Principles

- Nielsen's ten usability heuristics
- Smith and Mosier principles
- Accessibility guidelines


Human Computer Interaction 6001333-3
These slides quoted from Dr Obead
Alhadreti materials, thank to him

CS - 383 Summer Term

30

Prototyping

- **What is a prototype?**
- A draft version of a design before the final version exists
 - “proto” = original or primitive
- We can't expect to get the design right the first time



Human Computer Interaction 6001333-3
These slides quoted from Dr Obead
Alhadreti materials, thank to him

CS - 383 Summer Term

31

Prototyping

• Why do we prototype?


- Allows stakeholders to interact with an envisioned product, to gain some experience of using it in realistic settings and to explore imagined uses
- Experiment with alternative designs
- Facilitate the communication among the development team members (clarifies vague requirements)
- Get feedback on our design faster (save money)

Human Computer Interaction 6001333-3
These slides quoted from Dr. Obead
Alhadreti materials, thank to him

CS - 383 Summer Term

32

Prototyping




- * the cost of correcting a problem after a product has been released can be as much as 100 times the cost of resolving it in the development phase

Human Computer Interaction 6001333-3
These slides quoted from Dr. Obead
Alhadreti materials, thank to him

CS - 383 Summer Term

33

Prototyping



Human Computer Interaction 6001333-3

These slides quoted from Dr. Obead

Alhadreti materials, thank to him

CS - 383 Summer Term

34

How to do prototyping?

Step 1: creating prototypes

- low-fidelity prototypes
- high-fidelity prototypes

Step 2: testing prototypes

- Heuristic evaluation (refers to the entire system)
- Cognitive walkthrough (refers to a specific task)
- Thinking aloud (refers to entire systems & specific task)

Talk more about it in the next lecture

Human Computer Interaction 6001333-3

These slides quoted from Dr. Obead

Alhadreti materials, thank to him

CS - 383 Summer Term

35

Types of Prototyping

- **Fidelity in prototyping:**

Fidelity refers to the level of detail.


1. **High-fidelity prototyping:**

looks like the final product.

2. **Low fidelity prototyping:**

has some characteristics of the target product but is otherwise simple and incomplete

Types of Prototyping



Low-fidelity prototyping

- Does not look very much like the final project
- Uses materials that are very different from the intended final version
- are often paper-based and do not allow user interactions
- Used during early stages of development
- Cheap and easy to modify so they support the exploration of alternative designs and ideas
- Used to gather feedback on the basic functionality or visual layout

Human Computer Interaction 6001333-3
These slides quoted from Dr Obead
Alhadreti materials, thank to him

CS - 383 Summer Term

38

Low-fidelity prototyping

- Types of Low-fidelity prototyping:
 1. Storyboards
 2. Paper prototype
 3. Wireframes
 4. Wizard of Oz

Human Computer Interaction 6001333-3
These slides quoted from Dr Obead
Alhadreti materials, thank to him

CS - 383 Summer Term

39

Storyboard

- **What is a storyboard?**
- A storyboard is a visual representation of the process that the user will go through when using a product.
- Originally from film, used to get the idea of a scene
- Focus on tasks not the interfaces
- Series of sketches shows how a user can perform a task using the product
- Don't capture every detail, just systems' major functionality
- Storyboarding is not about the "pretty pictures", it's about communicating ideas.

Human Computer Interaction 6001333-3
These slides quoted from Dr Obead
Alhadreti materials, thank to him

CS - 383 Summer Term

40

Example



Human Computer Interaction 6001333-3
These slides quoted from Dr Obead
Alhadreti materials, thank to him

CS - 383 Summer Term

41

Storyboard

- **How to create a storyboard**
- The first thing storyboard should do is to illustrate some goal, then to show how the people accomplish the goal in the end of the storyboard.
- **Things storyboard should accomplish:**
 1. Setting: where the action takes place, who are the people, what in the task, which should be accomplished by your interface

Human Computer Interaction 6001333-3
These slides quoted from Dr. Obead
Alhadreti materials, thank to him

CS - 383 Summer Term

42

Storyboard

2. Sequence: that are the steps to accomplish the tasks, what role UI helps. What leads somebody to use the app.
3. Satisfaction: What motivates people to use the system. What system enables to accomplish. What user needs does the system

Human Computer Interaction 6001333-3
These slides quoted from Dr. Obead
Alhadreti materials, thank to him

CS - 383 Summer Term

43

Paper prototyping

- When you have the idea what tasks your application should solve and what goals can your users accomplish with the help of your application, it is the time to think about look and feel and what the actual user interface will be.

Human Computer Interaction 6001333-3
These slides quoted from Dr. Obead
Alhadreti materials, thank to him

CS - 383 Summer Term

44

Paper prototyping

- **Main idea:**
 - Sketch out prototypes of *the interface* on paper
 - Potential users “walk through” task scenarios using the paper interface
 - A designer “plays computer”
 - Other design team members observe & record
 - sketches -> evaluate -> iterate
 - Change the design on-the-fly if helpful - Surprisingly effective
- **Widely practiced in industry**

Human Computer Interaction 6001333-3
These slides quoted from Dr. Obead
Alhadreti materials, thank to him

CS - 383 Summer Term

45

Paper prototyping

- Materials you may need:
 - Large, heavy, white paper (11 x 17)
 - 5x8 in. index cards
 - Post-it notes
 - Tape, stick glue, correction tape
 - Pens & markers (many colors & sizes)
 - Transparencies (including colored)
 - Colorforms (toy stores)
 - Scissors, X-acto knives, etc

Human Computer Interaction 6001333-3


These slides quoted from Dr. Obead

CS - 383 Summer Term

46

Alhadreti materials, thank to him

Example 1



Human Computer Interaction 6001333-3

These slides quoted from Dr. Obead

CS - 383 Summer Term

47

Alhadreti materials, thank to him

Example 2

- **Paper prototyping**

<https://www.youtube.com/watch?v=6TbyXq3XHSc>

Human Computer Interaction 6001333-3
These slides quoted from Dr. Obead
Alhadreti materials, thank to him

CS - 383 Summer Term

48

Wireframes


- Wireframes are simple black and white layouts that outline the specific size and placement of page elements, site features, conversion areas and navigation for your product.
- Wireframes are rough illustrations of page content and structure which serve several purposes throughout the product design and testing process.
- Today, wireframes are most often created using software like Balsamiq or Visio.

Human Computer Interaction 6001333-3
These slides quoted from Dr. Obead
Alhadreti materials, thank to him

CS - 383 Summer Term

49

Wireframes



Human Computer Interaction 6001333-3

These slides quoted from Dr Obead

Alhadreti materials, thank to him

CS - 383 Summer Term

50

Wireframes

- **When to use wireframing**
 - The idea needs more detail than can be easily captured on paper
 - More layout details,, ... need to be explored
 - Clients need to be shown the major design options

Human Computer Interaction 6001333-3

These slides quoted from Dr Obead


Alhadreti materials, thank to him

CS - 383 Summer Term

51

Wizard of Oz

- Faking the interaction
 - The term is from the film “The Wizard of Oz” “the man behind the curtain”
- The participant interacts with a computer interface as usual, instead of the program writing back, a person writes back pretending to be the computer.



Human Computer Interaction 6001333-3
These slides quoted from Dr. Obead Alhadreti materials, thank to him

CS - 383 Summer Term

52

Wizard of Oz

- Operation requires processing that is actually done by a human, not directly visible to the user
- The wizard intervention needs to be designed to be believable, both technologically and to the user
- Some aspects of interface are implemented
- Very useful for assessing hard-to-implement features. For example, speech & handwriting recognition interfaces

Human Computer Interaction 6001333-3
These slides quoted from Dr. Obead Alhadreti materials, thank to him

CS - 383 Summer Term

53

Advantages and Disadvantages of Low-Fidelity Prototypes

| Advantages | Disadvantages |
|--|---|
| <p>They are cheap to produce.</p> <p>They can evaluate design ideas and design alternatives.</p> <p>They promote rapid, iterative development.</p> | <p>Their ability to check errors in design is limited.</p> <p>The specification is less detailed so it may be more difficult for programmers to code.</p> |
| <p>They are useful for facilitating communication between users and stakeholders and the UI designer.</p> | <p>A human facilitator is needed to simulate how the UI will work (e.g., by manipulating how different prototypes in response to users actions).</p> <p>Paper may seem less compelling.</p> |
| <p>They can show the look and feel and layout of screens.</p> | <p>They are useful for gathering requirements but are generally thrown away once the requirements have been established.</p> |

Human Computer Interaction 6001333-3
 These slides quoted from Dr Obead
 Alhadreti materials, thank to him

CS - 383 Summer Term

54

Exercise !

There is a collection of several thousand short video clips and audio recordings. You need to design a system to browse them and allow users to add annotations. Users should be able to retrieve clips based on the name of clips and by the date the clip was made.


1. Draw a set of lo- prototypes to show the main interactions for this system.

Human Computer Interaction 6001333-3
 These slides quoted from Dr Obead
 Alhadreti materials, thank to him

CS - 383 Summer Term

55

High-fidelity prototypes



Human Computer Interaction 6001333-3
These slides quoted from Dr. Obead
Alhadreti materials, thank to him

CS - 383 Summer Term

56

High-fidelity prototypes

- **High-fidelity prototypes** are computer-based, and usually allow realistic (mouse-keyboard) user interactions. High-fidelity prototypes take you as close as possible to a true representation of the user interface.
- Examples:
 - Screen mockups
 - Illustrator, Photoshop, PowerPoint
 - Web tools that include plain HTML with CSS for formatting
 - can be made interactive by adding Javascript

Human Computer Interaction 6001333-3
These slides quoted from Dr. Obead
Alhadreti materials, thank to him

CS - 383 Summer Term

57

High-fidelity prototypes

- **High-fidelity prototypes** are computer-based, and usually allow realistic (mouse-keyboard) user interactions. High-fidelity prototypes take you as close as possible to a true representation of the user

| interface. Prototype | Advantages | Disadvantages |
|----------------------------|--|--|
| High-fidelity prototype | <ul style="list-style-type: none"> - fully interactive - look and feel of final product - clearly defines navigational scheme | <ul style="list-style-type: none"> - more expensive to develop - time consuming to build - developers are reluctant to change something they have crafted for hours |

Human Computer Interaction 6001333-3

These slides quoted from Dr. Obead

Alhadreti materials, thank to him

CS - 383 Summer Term

58